



Vrtáky ze slinutého karbidu s chladicím kanálkem


DC150 Perform



	P	M	K	N	S	H	O
WJ30RE	●●	●	●●	●●	●●	●	●

B1

Nástroj



DIN 6535 HA


Označení	m7	D _c Inch/Nr	L _c mm	l ₁ mm	l ₂ mm	l ₅ mm	h6	WJ30RE
DC150-03-03.000A1-	3		14	62	20	36	6	☺
DC150-03-03.100A1-	3,1		14	62	20	36	6	☺
DC150-03-03.175A1-	3,175	1/8"	14	62	20	36	6	☺
DC150-03-03.200A1-	3,2		14	62	20	36	6	☺
DC150-03-03.250A1-	3,25		14	62	20	36	6	☺
DC150-03-03.300A1-	3,3		14	62	20	36	6	☺
DC150-03-03.400A1-	3,4		14	62	20	36	6	☺
DC150-03-03.500A1-	3,5		14	62	20	36	6	☺
DC150-03-03.572A1-	3,572	9/64"	14	62	20	36	6	☺
DC150-03-03.600A1-	3,6		14	62	20	36	6	☺
DC150-03-03.650A1-	3,65		14	62	20	36	6	☺
DC150-03-03.700A1-	3,7		14	62	20	36	6	☺
DC150-03-03.800A1-	3,8		17	66	24	36	6	☺
DC150-03-03.900A1-	3,9		17	66	24	36	6	☺
DC150-03-03.969A1-	3,969	5/32"	17	66	24	36	6	☺
DC150-03-04.000A1-	4		17	66	24	36	6	☺
DC150-03-04.100A1-	4,1		17	66	24	36	6	☺
DC150-03-04.200A1-	4,2		17	66	24	36	6	☺
DC150-03-04.300A1-	4,3		17	66	24	36	6	☺
DC150-03-04.366A1-	4,366	11/64"	17	66	24	36	6	☺
DC150-03-04.400A1-	4,4		17	66	24	36	6	☺
DC150-03-04.500A1-	4,5		17	66	24	36	6	☺
DC150-03-04.600A1-	4,6		17	66	24	36	6	☺
DC150-03-04.650A1-	4,65		17	66	24	36	6	☺
DC150-03-04.700A1-	4,7		17	66	24	36	6	☺
DC150-03-04.763A1-	4,763	3/16"	20	66	28	36	6	☺
DC150-03-04.800A1-	4,8		20	66	28	36	6	☺
DC150-03-04.900A1-	4,9		20	66	28	36	6	☺
DC150-03-05.000A1-	5		20	66	28	36	6	☺
DC150-03-05.100A1-	5,1		20	66	28	36	6	☺
DC150-03-05.159A1-	5,159	13/64"	20	66	28	36	6	☺
DC150-03-05.200A1-	5,2		20	66	28	36	6	☺
DC150-03-05.300A1-	5,3		20	66	28	36	6	☺
DC150-03-05.400A1-	5,4		20	66	28	36	6	☺
DC150-03-05.500A1-	5,5		20	66	28	36	6	☺

Příklad objednávky sorty WJ30RE: DC150-03-03.000A1-WJ30RE

**WALTER
SELECT**

●● hlavní použití ● další použití
Optimální nástroj pro → dobré = ☺ → střední = ☹ → nepříznivé = ☹ podmínky obrábění

Nástroj




DIN 6535 HA

B1

Označení	m7	D _c Inch/Nr	L _c mm	l ₁ mm	l ₂ mm	l ₅ mm	h6	WJ30RE
DC150-03-05.550A1-	5,55		20	66	28	36	6	☹
DC150-03-05.556A1-	5,556	7/32"	20	66	28	36	6	☹
DC150-03-05.600A1-	5,6		20	66	28	36	6	☹
DC150-03-05.700A1-	5,7		20	66	28	36	6	☹
DC150-03-05.800A1-	5,8		20	66	28	36	6	☹
DC150-03-05.900A1-	5,9		20	66	28	36	6	☹
DC150-03-05.953A1-	5,953	15/64"	20	66	28	36	6	☹
DC150-03-06.000A1-	6		20	66	28	36	6	☹
DC150-03-06.100A1-	6,1		24	79	34	36	8	☹
DC150-03-06.200A1-	6,2		24	79	34	36	8	☹
DC150-03-06.300A1-	6,3		24	79	34	36	8	☹
DC150-03-06.350A1-	6,35	1/4"	24	79	34	36	8	☹
DC150-03-06.400A1-	6,4		24	79	34	36	8	☹
DC150-03-06.500A1-	6,5		24	79	34	36	8	☹
DC150-03-06.600A1-	6,6		24	79	34	36	8	☹
DC150-03-06.700A1-	6,7		24	79	34	36	8	☹
DC150-03-06.747A1-	6,747	17/64"	24	79	34	36	8	☹
DC150-03-06.800A1-	6,8		24	79	34	36	8	☹
DC150-03-06.900A1-	6,9		24	79	34	36	8	☹
DC150-03-07.000A1-	7		24	79	34	36	8	☹
DC150-03-07.100A1-	7,1		29	79	41	36	8	☹
DC150-03-07.144A1-	7,144	9/32"	29	79	41	36	8	☹
DC150-03-07.200A1-	7,2		29	79	41	36	8	☹
DC150-03-07.300A1-	7,3		29	79	41	36	8	☹
DC150-03-07.400A1-	7,4		29	79	41	36	8	☹
DC150-03-07.500A1-	7,5		29	79	41	36	8	☹
DC150-03-07.541A1-	7,541	19/64"	29	79	41	36	8	☹
DC150-03-07.600A1-	7,6		29	79	41	36	8	☹
DC150-03-07.700A1-	7,7		29	79	41	36	8	☹
DC150-03-07.800A1-	7,8		29	79	41	36	8	☹
DC150-03-07.900A1-	7,9		29	79	41	36	8	☹
DC150-03-07.938A1-	7,938	5/16"	29	79	41	36	8	☹
DC150-03-08.000A1-	8		29	79	41	36	8	☹
DC150-03-08.100A1-	8,1		35	89	47	40	10	☹
DC150-03-08.200A1-	8,2		35	89	47	40	10	☹
DC150-03-08.300A1-	8,3		35	89	47	40	10	☹
DC150-03-08.334A1-	8,334	21/64"	35	89	47	40	10	☹
DC150-03-08.400A1-	8,4		35	89	47	40	10	☹
DC150-03-08.500A1-	8,5		35	89	47	40	10	☹
DC150-03-08.600A1-	8,6		35	89	47	40	10	☹
DC150-03-08.700A1-	8,7		35	89	47	40	10	☹
DC150-03-08.731A1-	8,731	11/32"	35	89	47	40	10	☹
DC150-03-08.800A1-	8,8		35	89	47	40	10	☹
DC150-03-08.900A1-	8,9		35	89	47	40	10	☹
DC150-03-09.000A1-	9		35	89	47	40	10	☹
DC150-03-09.100A1-	9,1		35	89	47	40	10	☹
DC150-03-09.128A1-	9,128	23/64"	35	89	47	40	10	☹
DC150-03-09.200A1-	9,2		35	89	47	40	10	☹

Příklad objednávky sorty WJ30RE: DC150-03-03.000A1-WJ30RE

Nástroj




DIN 6535 HA

Označení	m7	Dc Inch/Nr	Lc mm	l1 mm	l2 mm	l5 mm	h6	WJ30RE
DC150-03-09.300A1-	9,3		35	89	47	40	10	☺
DC150-03-09.400A1-	9,4		35	89	47	40	10	☺
DC150-03-09.500A1-	9,5		35	89	47	40	10	☺
DC150-03-09.525A1-	9,525	3/8"	35	89	47	40	10	☺
DC150-03-09.600A1-	9,6		35	89	47	40	10	☺
DC150-03-09.700A1-	9,7		35	89	47	40	10	☺
DC150-03-09.800A1-	9,8		35	89	47	40	10	☺
DC150-03-09.900A1-	9,9		35	89	47	40	10	☺
DC150-03-09.922A1-	9,922	25/64"	35	89	47	40	10	☺
DC150-03-10.000A1-	10		35	89	47	40	10	☺
DC150-03-10.100A1-	10,1		40	102	55	45	12	☺
DC150-03-10.200A1-	10,2		40	102	55	45	12	☺
DC150-03-10.300A1-	10,3		40	102	55	45	12	☺
DC150-03-10.319A1-	10,319	13/32"	40	102	55	45	12	☺
DC150-03-10.400A1-	10,4		40	102	55	45	12	☺
DC150-03-10.500A1-	10,5		40	102	55	45	12	☺
DC150-03-10.600A1-	10,6		40	102	55	45	12	☺
DC150-03-10.700A1-	10,7		40	102	55	45	12	☺
DC150-03-10.716A1-	10,716	27/64"	40	102	55	45	12	☺
DC150-03-10.800A1-	10,8		40	102	55	45	12	☺
DC150-03-10.900A1-	10,9		40	102	55	45	12	☺
DC150-03-11.000A1-	11		40	102	55	45	12	☺
DC150-03-11.100A1-	11,1		40	102	55	45	12	☺
DC150-03-11.113A1-	11,113	7/16"	40	102	55	45	12	☺
DC150-03-11.200A1-	11,2		40	102	55	45	12	☺
DC150-03-11.300A1-	11,3		40	102	55	45	12	☺
DC150-03-11.400A1-	11,4		40	102	55	45	12	☺
DC150-03-11.500A1-	11,5		40	102	55	45	12	☺
DC150-03-11.509A1-	11,509	29/64"	40	102	55	45	12	☺
DC150-03-11.600A1-	11,6		40	102	55	45	12	☺
DC150-03-11.700A1-	11,7		40	102	55	45	12	☺
DC150-03-11.800A1-	11,8		40	102	55	45	12	☺
DC150-03-11.900A1-	11,9		40	102	55	45	12	☺
DC150-03-11.906A1-	11,906	15/32"	40	102	55	45	12	☺
DC150-03-12.000A1-	12		40	102	55	45	12	☺
DC150-03-12.100A1-	12,1		43	107	60	45	14	☺
DC150-03-12.200A1-	12,2		43	107	60	45	14	☺
DC150-03-12.300A1-	12,3		43	107	60	45	14	☺
DC150-03-12.303A1-	12,303	31/64"	43	107	60	45	14	☺
DC150-03-12.500A1-	12,5		43	107	60	45	14	☺
DC150-03-12.600A1-	12,6		43	107	60	45	14	☺
DC150-03-12.700A1-	12,7	1/2"	43	107	60	45	14	☺
DC150-03-12.800A1-	12,8		43	107	60	45	14	☺
DC150-03-12.900A1-	12,9		43	107	60	45	14	☺
DC150-03-13.000A1-	13		43	107	60	45	14	☺
DC150-03-13.100A1-	13,1		43	107	60	45	14	☺
DC150-03-13.200A1-	13,2		43	107	60	45	14	☺
DC150-03-13.300A1-	13,3		43	107	60	45	14	☺

Příklad objednávky sorty WJ30RE: DC150-03-03.000A1-WJ30RE

Nástroj



DIN 6535 HA

B1

Označení	m7	D _c Inch/Nr	L _c mm	l ₁ mm	l ₂ mm	l ₅ mm	h6	WJ30RE
DC150-03-13.494A1-	13,494	17/32"	43	107	60	45	14	☺
DC150-03-13.500A1-	13,5		43	107	60	45	14	☺
DC150-03-13.800A1-	13,8		43	107	60	45	14	☺
DC150-03-14.000A1-	14		43	107	60	45	14	☺
DC150-03-14.100A1-	14,1		45	115	65	48	16	☺
DC150-03-14.200A1-	14,2		45	115	65	48	16	☺
DC150-03-14.288A1-	14,288	9/16"	45	115	65	48	16	☺
DC150-03-14.500A1-	14,5		45	115	65	48	16	☺
DC150-03-14.600A1-	14,6		45	115	65	48	16	☺
DC150-03-14.700A1-	14,7		45	115	65	48	16	☺
DC150-03-15.000A1-	15		45	115	65	48	16	☺
DC150-03-15.100A1-	15,1		45	115	65	48	16	☺
DC150-03-15.300A1-	15,3		45	115	65	48	16	☺
DC150-03-15.500A1-	15,5		45	115	65	48	16	☺
DC150-03-15.700A1-	15,7		45	115	65	48	16	☺
DC150-03-15.800A1-	15,8		45	115	65	48	16	☺
DC150-03-15.875A1-	15,875	5/8"	45	115	65	48	16	☺
DC150-03-16.000A1-	16		45	115	65	48	16	☺
DC150-03-16.300A1-	16,3		51	123	73	48	18	☺
DC150-03-16.500A1-	16,5		51	123	73	48	18	☺
DC150-03-16.700A1-	16,7		51	123	73	48	18	☺
DC150-03-17.000A1-	17		51	123	73	48	18	☺
DC150-03-17.500A1-	17,5		51	123	73	48	18	☺
DC150-03-18.000A1-	18		51	123	73	48	18	☺
DC150-03-18.500A1-	18,5		55	131	79	50	20	☺
DC150-03-19.000A1-	19		55	131	79	50	20	☺
DC150-03-19.050A1-	19,05	3/4"	55	131	79	50	20	☺
DC150-03-20.000A1-	20		55	131	79	50	20	☺
DC150-03-03.000D1-	3		14	62	20	36	6	☺
DC150-03-03.300D1-	3,3		14	62	20	36	6	☺
DC150-03-03.400D1-	3,4		14	62	20	36	6	☺
DC150-03-03.500D1-	3,5		14	62	20	36	6	☺
DC150-03-03.700D1-	3,7		14	62	20	36	6	☺
DC150-03-03.800D1-	3,8		17	66	24	36	6	☺
DC150-03-04.000D1-	4		17	66	24	36	6	☺
DC150-03-04.200D1-	4,2		17	66	24	36	6	☺
DC150-03-04.300D1-	4,3		17	66	24	36	6	☺
DC150-03-04.500D1-	4,5		17	66	24	36	6	☺
DC150-03-04.800D1-	4,8		20	66	28	36	6	☺
DC150-03-05.000D1-	5		20	66	28	36	6	☺
DC150-03-05.100D1-	5,1		20	66	28	36	6	☺
DC150-03-05.300D1-	5,3		20	66	28	36	6	☺
DC150-03-05.500D1-	5,5		20	66	28	36	6	☺
DC150-03-06.000D1-	6		20	66	28	36	6	☺
DC150-03-06.500D1-	6,5		24	79	34	36	8	☺
DC150-03-06.700D1-	6,7		24	79	34	36	8	☺
DC150-03-06.800D1-	6,8		24	79	34	36	8	☺
DC150-03-07.000D1-	7		24	79	34	36	8	☺

DIN 6535 HE, turned 180° DIN 6535 HB

Příklad objednávky sorty WJ30RE: DC150-03-03.000A1-WJ30RE